

(See <https://cs.stanford.edu/~knuth/programs.html> for date.)

- 1. Data for dancing.** This program creates data suitable for the DANCE routine, solving the famous “ n queens problem.” The value of n is a command-line parameter.

```
#include <stdio.h>
#include <stdlib.h>
⟨ Global variables 3 ⟩
⟨ Subroutines 5 ⟩;
main(argc, argv)
    int argc;
    char *argv[];
{
    register int j, k, n, nn, t;
    ⟨ Read the command line 2 ⟩;
    ⟨ Output the column names 4 ⟩;
    ⟨ Output the possible queen moves 6 ⟩;
}
```

- 2.** ⟨ Read the command line 2 ⟩ ≡
if ($argc \neq 2 \vee sscanf(argv[1], "%d", ¶m) \neq 1$) {
fprintf(*stderr*, "Usage: %s\n", *argv*[0]);
exit(-1);
}
 $n = param$;
 $nn = n + n - 2$;

This code is used in section 1.

- 3.** ⟨ Global variables 3 ⟩ ≡
int *param*;

This code is used in section 1.

- 4.** We process the cells of the board in “organ pipe order,” on the assumption that—all other things being equal—a move near the center yields more constraints on the subsequent search.

```
⟨ Output the column names 4 ⟩ ≡
for (j = 0; j < n; j++) {
    t = (j & 1 ? n - 1 - j : n + j) ≫ 1;
    printf("r%c%c%c", encode(t), encode(t));
}
printf("|\n");
for (j = 1; j < nn; j++) printf("a%c'b%c", encode(j), encode(j));
printf("\n");
```

This code is used in section 1.

- 5.** ⟨ Subroutines 5 ⟩ ≡
char *encode*(*x*)
 int *x*;
{
 if ($x < 10$) **return** '0' + *x*;
 return 'a' - 10 + *x*;
}

This code is used in section 1.

6. \langle Output the possible queen moves 6 $\rangle \equiv$

```
for (j = 0; j < n; j++)  
    for (k = 0; k < n; k++) {  
        printf("r%c%c%c", encode(j), encode(k));  
        t = j + k;  
        if (t & (t < nn)) printf("a%c", encode(t));  
        t = n - 1 - j + k;  
        if (t & (t < nn)) printf("b%c", encode(t));  
        printf("\n");  
    }
```

This code is used in section 1.

7. Index.

argc: [1](#), [2](#).
argv: [1](#), [2](#).
encode: [4](#), [5](#), [6](#).
exit: [2](#).
fprintf: [2](#).
j: [1](#).
k: [1](#).
main: [1](#).
n: [1](#).
nn: [1](#), [2](#), [4](#), [6](#).
param: [2](#), [3](#).
printf: [4](#), [6](#).
sscanf: [2](#).
stderr: [2](#).
t: [1](#).
x: [5](#).

- ⟨ Global variables 3 ⟩ Used in section 1.
- ⟨ Output the column names 4 ⟩ Used in section 1.
- ⟨ Output the possible queen moves 6 ⟩ Used in section 1.
- ⟨ Read the command line 2 ⟩ Used in section 1.
- ⟨ Subroutines 5 ⟩ Used in section 1.

QUEENS

	Section	Page
Data for dancing	1	1
Index	7	3